

RAJEEV GANDHI MEMORIAL COLLEGE OF ENGG., & TECH.,
(AUTONOMOUS)
NANDYAL – 518 501, KURNOOL (Dist), ANDHRA PRADESH, INDIA

DEPARTMENT OF MECHANICAL ENGINEERING



**LIST/NUMBER OF STUDENTS
WHO CLEARED THE
PROGRAM IN 04 YEARS
WITHOUT BACKLOGS**

**LYG [2015-2016] BATCH
2018 – 2019 YEAR**

NATIONAL BOARD OF ACCREDITATION

APPLICATION NO: 5573-26/05/2021

Approved by AICTE, New Delhi, Affiliated to J.N.T.U.A, Anantapuramu

Accredited by NAAC with 'A+' Grade

Participated in World Bank Assisted TEQIP Phase-I



Dr. THIRUPATHI REDDY



Dr. T. JAYACHANDRA



Rajeev Gandhi Memorial College of Engineering & Technology

(Autonomous)

Nandyal-518501, Kurnool (Dist.), A.P., INDIA.

Department of Mechanical Engineering

INDEX

2018 -2019 ACADEMIC YEAR

S.NO	ACADEMIC YEAR	Item			PAGE. NO
		X Number of students admitted in the corresponding First year + admitted in 2nd year via lateral entry and separated division, if applicable	Y Number of students who have graduated without backlogs in the stipulated period	Success Index [SI = Y / X]	
1	Latest Year of Graduation minus 1,LYGm1 (2015-16) Batch 2018-2019 Academic Year	259	85	0.33	1 - 5

Dr. K. THIRUPATHI REDDY
B.E.(Mech), M.Tech., Ph.D. MISTE, ASME
Professor & Head of M.E and SIEMENS
Department of Mechanical Engineering
R.G.M College of Engg. & Tech., (Autonomous)
NANDYAL 518 501, Kurnool (Dist), A.P

Dr. T. JAYACHANDRA PRASAD
M.E, Ph.D., FIE, FIETE, MINAFEN, MISTE, MIEEE
PRINCIPAL
R G M College of Engg. & Tech.,
(Autonomous)
NANDYAL-518 501, Kurnool (Dt), A.P.



Rajeev Gandhi Memorial College of Engineering & Technology (Autonomous)
Nandyal-518501, Kurnool (Dist.), A.P., India.

Department of Mechanical Engineering

RGM CET - Examination Branch

Home Student Info Login

RGM CET - Examination Portal


Interface between Examination Cell of College, Faculty and Students to enhance Transparency, Accountability, Reliability and Efficiency in the whole internal evaluation process

[LOGIN](#) [MINOR DEGREE REGISTRATION](#) [END EXAM \(R15\)](#) [MID EXAM \(R15\)](#) [MID EXAM \(R19\)](#)





Rajeev Gandhi Memorial College of Engineering & Technology (Autonomous) Nandyal-518501, Kurnool (Dist.), A.P., India.

Department of Mechanical Engineering



Rajeev Gandhi Memorial College of Engineering & Technology
 (Autonomous Institution | Approved by AICTE New Delhi | Affiliated to JNTU Anantapur)
 Address : Nerawada 'X' Roads, Nandyal, Kurnool Dist, Andhra Pradesh, India
 Counselling Code : RGIT

|| OAS ||

- Dashboard
- Student Info
- Memo Info
- EB Report
- EAA
- Minor Degree
- Profile
- Examination
- Results
- CMM
- PC

Batch wise Results

Degree: BTECH

Batch: 2015

Branch: ME

Type: Regular

List

- 11R15 - I B.Tech. I Sem. (R15) (Autonomous) Regular-December - 2015
- 12R15 - I B.Tech. II Sem. (R15) (Autonomous) Regular-June - 2016
- 21R15 - II B.Tech. I Sem. (R15) (Autonomous) Regular -November - 2016
- 22R15 - II B.Tech. II Sem. (R15) (Autonomous) Regular-April - 2017
- 31R15 - III B.Tech. I Sem. (R15) (Autonomous) Regular-Oct/Nov - 2017
- 32R15 - III B.Tech. II Sem. (R15) (Autonomous) Regular-April - 2018
- 41R15 - IV B.Tech. I Sem. (R15) (Autonomous) Regular-November-2018
- 42R15 - IV B.Tech. II Sem. (R15) (Autonomous) Regular-March-2019

Go



Rajeev Gandhi Memorial College of Engineering & Technology (Autonomous) Nandyal-518501, Kurnool (Dist.), A.P., India.



Department of Mechanical Engineering

RGM CET-Examination Branch x +

Not secure | 10.50.30.4/EB/Batchresults.php

Apps RGM internet hotsp... google.com Hemant Best Hand written... Reading list

Rajeev Gandhi Memorial College of Engineering & Technology
(Autonomous Institution | Approved by AICTE New Delhi | Affiliated to JNTU Anantapur)
Address : Nerawada 'X' Roads, Nandyal, Kurnool Dist, Andhra Pradesh, India
Counselling Code : RGIT

(ESTD-1995)

|| OAS ||

- Dashboard
- Student Info
- Memo Info
- EB Report
- EAA
- Minor Degree
- Profile
- Examination
- Results
- CMM

Batch wise Results

List [0 Sub = 83, -1 Sub = 5, 1 Sub = 43, 2 Sub = 24, 3 Sub = 17, 4 Sub = 10, 5 Sub = 12, 6 Sub = 10, 7 Sub = 7, 8 Sub = 7, 9 Sub = 7, 10 Sub = 7, 11 Sub = 3, 12 Sub = 1, 13 Sub = 2, 16 Sub = 2, 17 Sub = 1, 20 Sub = 1, 22 Sub = 3, 23 Sub = 4, 24 Sub = 2, 25 Sub = 1, 26 Sub = 1, 27 Sub = 2, 28 Sub = 1, 29 Sub = 1, 31 Sub = 2,]

HTNO	I B.Tech. I Sem.			I B.Tech. II Sem.			II B.Tech. I Sem.			II B.Tech. II Sem.			III B.Tech. I Sem.			III B.Tech. II Sem.			IV B.Tech. I Sem.			IV B.Tech. II Sem.			Total		
	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail
15091A0301	26	6.5385		26	7.5769		23	6.1600	1	25	6.9600		25	7.7600		25	7.6000		25	7.9600		23	7.2609		198	7.2250	1
15091A0302	26	7.3462		26	8.1923		25	7.6800		25	7.9200		25	7.5600		25	8.2800		25	8.2800		23	7.6087		200	7.8600	
15091A0303	26	6.7308		26	8.1923		25	7.6400		25	8.0400		25	8.0000		25	8.2800		25	8.2800		23	7.2174		200	7.8000	
15091A0304	26	7.9615		26	8.4615		25	8.6400		25	8.0000		25	8.5600		25	8.4800		25	8.9600		23	8.3913		200	8.4300	
15091A0305	26	7.3462		26	7.5769		25	7.4800		25	7.6400		25	7.2000		25	7.9200		25	7.1200		23	6.9565		200	7.4100	
15091A0306	26	8.7308		26	8.8846		25	8.5600		25	9.2800		25	9.2800		25	9.2000		25	8.7600		23	7.8696		200	8.8300	
15091A0307	23	6.1154	1	26	7.5769		22	5.9200	1	25	7.4800		25	7.2800		25	7.5600		25	7.4800		23	7.2174		194	7.0750	2
15091A0308	26	8.0769		26	7.3077		25	6.6400		25	7.0000		22	6.4000	1	25	7.4800		25	7.6800		23	7.4348		197	7.2550	1
15091A0309	26	7.6923		26	7.8077		25	7.1600		25	7.3600		22	6.3600	1	25	7.4000		25	7.1600		23	7.3043		197	7.2850	1

RAJEEV GANDHI MEMORIAL COLLEGE OF ENGINEERING AND TECHNOLOGY(AUTONOMOUS)-NANDYAL - 518 501

DEPARTMENT OF MECHANICAL ENGINEERING

LYGm1 - 2015-16 BATCH STUDENTS SUCCESS RATE WITHOUT BACKLOGS IN ANY SEMESTER/YEAR OF STUDY

S.NO.	HTNO	I B.Tech. I Sem.			I B.Tech. II Sem.			II B.Tech. I Sem.			II B.Tech. II Sem.			III B.Tech. I Sem.			III B.Tech. II Sem.			IV B.Tech. I Sem.			IV B.Tech. II Sem.			Total		
		Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail
1	15091A0302	26	7.3462		26	8.1923		25	7.68		25	7.92		25	7.56		25	8.28		25	8.28		23	7.6087		200	7.86	
2	15091A0303	26	6.7308		26	8.1923		25	7.64		25	8.04		25	8		25	8.28		25	8.28		23	7.2174		200	7.8	
3	15091A0304	26	7.9615		26	8.4615		25	8.64		25	8		25	8.56		25	8.48		25	8.96		23	8.3913		200	8.43	
4	15091A0305	26	7.3462		26	7.5769		25	7.48		25	7.64		25	7.2		25	7.92		25	7.12		23	6.9565		200	7.41	
5	15091A0306	26	8.7308		26	8.8846		25	8.56		25	9.28		25	9.28		25	9.2		25	8.76		23	7.8696		200	8.83	
6	15091A0310	26	8.8846		26	8.4615		25	8.2		25	8.76		25	7.76		25	8.36		25	8.32		23	7.9565		200	8.345	
7	15091A0311	26	8.7308		26	9.0769		25	8.28		25	8.6		25	8.4		25	8.76		25	9.16		23	8		200	8.635	
8	15091A0315	26	9.4615		26	9.4231		25	8.2		25	8.16		25	7.64		25	8.6		25	9.24		23	8.3043		200	8.64	
9	15091A0317	26	7.4615		26	8.2308		25	7.76		25	8.12		25	7.8		25	7.76		25	8.16		23	7.3043		200	7.83	
10	15091A0320	26	8.1154		26	7.9615		25	7.72		25	7.72		25	8.08		25	8.04		25	8.16		23	7.8261		200	7.955	
11	15091A0322	26	7.9615		26	7.4231		25	7.84		25	7.84		25	7.76		25	7.8		25	8.04		23	7.4348		200	7.765	
12	15091A0323	26	8.1154		26	8.6154		25	8.88		25	8.84		25	8.44		25	8.56		25	8.64		23	8.2609		200	8.545	
13	15091A0325	26	8.2692		26	8.2692		25	7.8		25	7.76		25	8.16		25	8.28		25	8.56		23	7.913		200	8.13	
14	15091A0327	26	7.3846		26	8.2692		25	8.32		25	8.04		25	7.96		25	8.04		25	8.48		23	7.6087		200	8.015	
15	15091A0328	26	6.9231		26	7.5769		25	7.04		25	7		25	7.56		25	7.76		25	8.24		23	7.6087		200	7.46	
16	15091A0330	26	7.1923		26	7.8077		25	7.32		25	7.4		25	7.8		25	7.36		25	7.72		23	6.8261		200	7.435	
17	15091A0331	26	7.4231		26	8.3462		25	7.4		25	7.56		25	7.68		25	7.76		25	8.04		23	7.3913		200	7.705	
18	15091A0334	26	8.3846		26	9.0385		25	8.88		25	8.96		25	8.52		25	8.56		25	9.28		23	8.1739		200	8.73	
19	15091A0339	26	7.2308		26	8.1538		25	7.96		25	8.32		25	8.4		25	8.16		25	8.52		23	7.9565		200	8.085	
20	15091A0341	26	7.6923		26	8.6923		25	8.6		25	8.32		25	8.44		25	8.32		25	9.04		23	8		200	8.39	
21	15091A0342	26	7.4615		26	8.0769		25	7.92		25	8.8		25	8.6		25	8.32		25	8.84		23	7.5217		200	8.195	
22	15091A0344	26	7.8077		26	8.4615		25	7.64		25	7.2		25	7.08		25	6.8		25	7.24		23	7.087		200	7.425	
23	15091A0345	26	7.7692		26	8.7692		25	7.76		25	7.96		25	8		25	8.12		25	8.8		23	7.7391		200	8.12	
24	15091A0346	26	7.4615		26	8.1923		25	7.64		25	8.44		25	8.32		25	8.2		25	8.64		23	7.8696		200	8.095	
25	15091A0348	26	7.5385		26	7.9231		25	7.56		25	7.92		25	7.84		25	7.6		25	7.76		23	7.4783		200	7.705	
26	15091A0350	26	8.2692		26	9.2308		25	8.84		25	8.92		25	9.28		25	8.96		25	9.52		23	8.3478		200	8.925	
27	15091A0351	26	8.9231		26	9.4231		25	8.52		25	8.88		25	8.44		25	8.8		25	9.16		23	8.4348		200	8.83	
28	15091A0363	26	8.2692		26	8.7308		25	7.96		25	9.12		25	8.72		25	8.52		25	9.08		23	8.4783		200	8.61	
29	15091A0365	26	7.2308		26	7.1538		25	7.16		25	7.16		25	6.88		25	6.84		25	7.72		23	6.7826		200	7.12	
30	15091A0369	26	9.3462		26	9.5769		25	8.84		25	8.84		25	8.2		25	7.72		25	7.96		23	7		200	8.46	

RAJEEV GANDHI MEMORIAL COLLEGE OF ENGINEERING AND TECHNOLOGY(AUTONOMOUS)-NANDYAL - 518 501

DEPARTMENT OF MECHANICAL ENGINEERING

LYGm1 - 2015-16 BATCH STUDENTS SUCCESS RATE WITHOUT BACKLOGS IN ANY SEMESTER/YEAR OF STUDY

S.NO.	HTNO	I B.Tech. I Sem.			I B.Tech. II Sem.			II B.Tech. I Sem.			II B.Tech. II Sem.			III B.Tech. I Sem.			III B.Tech. II Sem.			IV B.Tech. I Sem.			IV B.Tech. II Sem.			Total		
		Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail
31	15091A0370	26	9.4615		26	9.5769		25	8.92		25	8.72		25	8.68		25	8.12		25	8.92		23	7.5217		200	8.76	
32	15091A0372	26	8.7692		26	8.9615		25	8.92		25	8.76		25	8.68		25	8.44		25	8.48		23	7.9565		200	8.63	
33	15091A0389	26	7		26	6.9615		25	7.2		25	7.72		25	7.08		25	7.96		25	7.96		23	7.4783		200	7.415	
34	15091A0391	26	8.6154		26	8.1923		25	7.88		25	8.72		25	8.08		25	8.48		25	8.32		23	7		200	8.175	
35	15091A03A1	26	7.3077		26	7.7308		25	7.76		25	8.04		25	8.12		25	7.84		25	8.24		23	6.8696		200	7.745	
36	15091A03A4	26	7.8077		26	8.3077		25	7.88		25	8.12		25	7.32		25	7		25	6.48		23	6.6957		200	7.465	
37	15091A03A5	26	6.4231		26	7.1154		25	7.4		25	7.36		25	7.56		25	7.6		25	7.48		23	7		200	7.24	
38	15091A03A8	26	8		26	8.6923		25	8.04		25	8.6		25	8.6		25	8.44		25	8.8		23	7.913		200	8.39	
39	15091A03A9	26	7.1923		26	7.3462		25	7.04		25	7.32		25	7.08		25	7.6		25	7.76		23	7.087		200	7.305	
40	15091A03B0	26	8.0385		26	7.9615		25	7.88		25	7.68		25	8.28		25	8.44		25	8.24		23	7.6957		200	8.03	
41	15091A03B8	26	8.5		26	8.4231		25	8.08		25	8.4		25	8.28		25	8.8		25	8.08		23	7.3478		200	8.25	
42	15091A03C0	26	7.0385		26	8.1154		25	7.36		25	7.84		25	7.88		25	8.08		25	8.28		23	8.2174		200	7.845	
43	15091A03C1	26	6.9231		26	7.7692		25	7.28		25	7.44		25	7.44		25	6.64		25	6.92		23	6.4783		200	7.12	
44	15091A03C4	26	7.3077		26	8.1154		25	7.04		25	7.2		25	6.92		25	7.24		25	7.92		23	7		200	7.35	
45	15091A03C5	26	8.9615		26	9.2308		25	8.08		25	9.08		25	8.52		25	8.36		25	8.44		23	7.6522		200	8.555	
46	15091A03D3	26	8.5769		26	8.5769		25	8.08		25	7.72		25	7.84		25	7.68		25	7.88		23	6.9565		200	7.93	
47	15091A03D7	26	8.8462		26	8.7308		25	8.8		25	8.6		25	8.72		25	8.16		25	8.92		23	7.7826		200	8.58	
48	15091A03E2	26	8.0385		26	8.2692		25	7.52		25	7.48		25	7.64		25	7.44		25	7.8		23	6.913		200	7.65	
49	15091A03E6	26	7.5		26	8.3462		25	7.68		25	7.52		25	7.28		25	7.36		25	7.32		23	7.3478		200	7.55	
50	15091A03F2	26	6.8462		26	6.9231		25	6.76		25	7.36		25	7.36		25	7		25	6.56		23	7.2174		200	7	
51	15091A03F4	26	8.3462		26	8.3462		25	8.48		25	7.52		25	8.28		25	7.92		25	8.56		23	8.1304		200	8.2	
52	15091A03F5	26	8.1538		26	7.8077		25	7.72		25	7.04		25	7.8		25	7.44		25	8.04		23	7.6957		200	7.715	
53	15091A03G1	26	8.5385		26	8.5		25	8.84		25	8.16		25	8.64		25	8.28		25	8.48		23	7.913		200	8.425	
54	15091A03G2	26	8.1923		26	8.2692		25	7.6		25	7.36		25	7.6		25	7.36		25	7.12		23	7.913		200	7.68	
55	15091A03G3	26	6.6538		26	7.1538		25	7.72		25	7.44		25	7.48		25	7.32		25	7.2		23	7.3478		200	7.285	
56	15091A03G6	26	8.5385		26	8.7308		25	8.64		25	8.44		25	8.16		25	7.92		25	9.08		23	8.3043		200	8.48	
57	15091A03G7	26	8.2308		26	8.8846		25	8.6		25	8.8		25	8.72		25	8.68		25	9.32		23	8.087		200	8.67	
58	15091A03G9	26	7.3462		26	7.4231		25	7.36		25	7.12		25	7.8		25	7.6		25	8.2		23	7.6087		200	7.555	
59	15091A03H0	26	8.1923		26	8.4615		25	8.24		25	8.16		25	7.96		25	7.32		25	8.08		23	7.8696		200	8.04	
60	15091A03H9	26	7.1154		26	7.6154		25	7.64		25	7.4		25	7.28		25	7.08		25	6.96		23	6.7391		200	7.235	

RAJEEV GANDHI MEMORIAL COLLEGE OF ENGINEERING AND TECHNOLOGY(AUTONOMOUS)-NANDYAL - 518 501

DEPARTMENT OF MECHANICAL ENGINEERING

LYGm1 - 2015-16 BATCH STUDENTS SUCCESS RATE WITHOUT BACKLOGS IN ANY SEMESTER/YEAR OF STUDY

S.NO.	HTNO	I B.Tech. I Sem.			I B.Tech. II Sem.			II B.Tech. I Sem.			II B.Tech. II Sem.			III B.Tech. I Sem.			II B.Tech. II Sem.			V B.Tech. I Sem.			IV B.Tech. II Sem.			Total		
		Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail	Cr.	%	Fail
61	15091A03J7	26	8.1154		26	8.1538		25	7.96		25	7.72		25	8		25	8.2		25	8.4		23	8.0435		200	8.075	
62	15091A03K1	26	6.9231		26	6.9615		25	7.36		25	7.6		25	7.2		25	7.84		25	7.84		23	6.913		200	7.33	
63	15091A03K7	26	6.6154		26	7.3077		25	7.76		25	7.88		25	7.52		25	7.56		25	8.32		23	7.5217		200	7.555	
64	15091A03K9	26	8.4231		26	8.6154		25	8.44		25	8.68		25	8.56		25	8.44		25	8.44		23	7.913		200	8.445	
65	15091A03M3	26	7.6538		26	6.7692		25	7.2		25	7.96		25	7.36		25	7.36		25	7.84		23	7.1739		200	7.415	
66	15091A03M4	26	8		26	7.8077		25	7.8		25	7.76		25	7.52		25	7.12		25	8.08		23	6.913		200	7.635	
67	15091A03M7	26	7.5769		26	7.7308		25	7.72		25	7.36		25	7.76		25	7.2		25	7.96		23	7.4783		200	7.6	
68	16095A0301							25	7.76		25	8.04		25	8		25	7.52		25	7.68		23	7.6957		148	7.7838	
69	16095A0303							25	6.52		25	6.56		25	6.76		25	7.04		25	7.28		23	7.7826		148	6.9797	
70	16095A0305							25	7.8		25	8		25	7.92		25	7.8		25	7.88		23	7.8696		148	7.8784	
71	16095A0306							25	9		25	8.6		25	8.96		25	8.2		25	9.08		23	8.087		148	8.6622	
72	16095A0307							25	8.48		25	8.4		22	8.1818		25	7.88		25	8.24		23	8		145	8.2	
73	16095A0309							25	7		25	6.68		25	7.04		25	7.04		25	7.28		23	7.3913		148	7.0676	
74	16095A0310							25	7.72		25	7.84		25	7.6		25	7.76		25	8.08		23	7.4783		148	7.75	
75	16095A0312							25	9.12		25	8.68		25	8.4		25	8.36		25	8.96		23	8.1304		148	8.6149	
76	16095A0313							25	8.12		25	7.6		25	7.4		25	7.12		25	6.88		23	7.1304		148	7.3784	
77	16095A0315							25	8.24		25	8.4		25	8.4		25	8.24		25	8.96		23	8.2174		148	8.4122	
78	16095A0324							25	7.4		25	7.28		25	7.68		25	8.12		25	7.4		23	7.4783		148	7.5608	
79	16095A0326							25	8.8		25	8.64		25	8.32		25	8.4		25	8.64		23	8.2174		148	8.5068	
80	16095A0331							25	7.72		25	7.56		25	7.16		25	7.28		25	7.36		23	7.4783		148	7.4257	
81	16095A0335							25	8.2		25	8		25	8.44		25	7.24		25	7.84		23	7.5217		148	7.8784	
82	16095A0338							25	7.24		25	7.72		25	7.2		25	7.32		25	7.36		23	6.8261		148	7.2838	
83	16095A0346							25	7.08		25	7.52		25	7.76		25	7.92		25	7.12		23	7.4783		148	7.4797	
84	16095A0347							25	7.2		25	6.96		25	7.56		25	8		25	7.84		23	7.6522		148	7.5338	
85	16095A0352							25	8.88		25	9.2		25	8.84		25	8.64		25	9.16		23	8.1304		148	8.8176	



Dr. K. THIRUPATHI REDDY
 B.E.(Mech), M.Tech., Ph.D. NISTE, ASME
 Professor & Head of M.E and SIEMENS
 Department of Mechanical Engineering
 R.G.M College of Engg. & Tech., (Autonomous)
 NANDYAL - 518 501, Kurnool (Dist), A.P.



Dr. T. JAYACHANDRA PRASAD
 M.E., Ph.D., F.I.E., F.I.E.T.E., M.N.A.F.E.N., M.I.S.T.E., M.I.E.E.E.
 PRINCIPAL
 R G M College of Engg. & Tech.,
 (Autonomous)
 NANDYAL-518 501, Kurnool (Dt), A.P.